



AGMASTER

1800 NOTILL



**NO-TILL SEEDING KITS
KNIFE POINTS
PRESSWHEELS
HARROWS**



2026

CONTENTS

NO-TILL SEEDING KITS, KNIFE POINTS & PARTS

C-SHANK & EDGE-ON TYNES

Flexicoil, Morris, Bourgault, John Deere, Horwood Bagshaw, Gason and more	
NT25 Deep Banding System NEW	3
NT19 Adjusta-Point	4
NT19 Rigid and Flexiboot Seeding Kit Options	6
NT19 Multi-Boot Seeding Kit options and parts	8
NT19 & NT11 Accessories	12
NT19 & NT11 Replacement Points	13
NT19 & NT11 Replacement Rigid Boots	14

SINGLE-BOLT CULTIVATORS

Chamberlain, Shearer, Alfarm and more

NT08 Seeding Kits and Parts	14
-----------------------------	----

PRECISION/PARALLEOGRAM SEEDERS

Morris Quantum & Contour (C1, C2 & C3)

NT22 In-Line Dual-Shoot System (Quantum, C2 & C3 only) NEW	15
NT20 Multi-Boot System for Morris	18

Horsch Sprinter

NT22 In-Line Dual-Shoot System NEW	15
NT20 Multi-Boot System for Horsch	22

Bourgault Paralink Single Shank

NT20 Multi-Boot System for Bourgault	24
--------------------------------------	----

Bourgault Dual Shanks - 4420DKD & PLDS

NT21B Points NEW	26
-------------------------	----

DBS

NT21D Adjusta-Point & Holder	27
------------------------------	----

Equalizer

NT21E Points NEW	27
-------------------------	----

PRESSWHEELS & HARROWS

PRESSWHEELS

Standard Presswheels & Tyre Profiles	28
Emu Tracker Presswheels	30
Fixed Extensions Mounting Framework	32

HARROWS

Rotary Star & Coil Harrows	34
----------------------------	----

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT25 DEEP BANDING SYSTEM

NEW

After more than two years of product development, our new NT25 Dual-Shoot Deep-Banding system for C-Shank and Edge-On tynes for the 2026 seeding season.

LIMITED QUANTITIES FOR 2026!

The key features are:

- DRY FERTILISER DELIVERY through a hollow 16mm knife point
- HEIGHT ADJUSTABLE point with two different settings
Two point length options may become available in the future depending on feedback/demand
- 15-30mm SEPARATION between seed and dry fertiliser
- ANGLED 45mm 'BOW' CLOSER to promote self cleaning and aid blockage prevention
- LIQUID PROVISION for liquid fertiliser below the seed and/or wetting agent with the seed
- INTERNAL POINT HOLDER
- PIN OR BOLT option for point fastening



PRICES:

Complete Kit (as pictured)

\$300 +GST

Replacement Parts

PT2560 16mm Point

\$125 +GST

As well as on farm testing, formal trial work was conducted on canola in Esperance, WA during the 2025 season with positive results.



SCAN HERE
to view trial data,
more information
and working videos



Agmaster NT25 Germination



Paired-Row Splitter Germination


For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT19 ADJUSTA-POINT AND HOLDER

The NT19 Adjusta-Point is our latest and recommended Point & Holder system for C-Shank tynes. The key features are:

- HEIGHT ADJUSTABLE with three depth settings to allow for lowering of point as it wears or for deeper cultivation below the seed
- SECURE BOLTING ARRANGEMENT by using a u-bolt for the point holder to help prevent sideways movement if the tyne bolt becomes loose or worn. There is only one tyne bolt which is easily accessible.
- COMPATIBLE with current range of Agmaster boot assemblies such as Multi-Boot, Rigid Boots and FlexiBoots as pictured on pages 4 - 11.
- ADAPTABLE for use with our popular NT11 Rigid Seeding Boots by using a customised bent u-bolt.
- SECURE TRASHGUARD design which is fixed directly to top of point holder. Design doesn't affect access to point retaining pin. These are included as standard in all NT19 seeding kits.
- LIQUID point options available
- LO-THRO or STRAIGHT profiles to choose from
- EASY ACCESS pin & R-clip **IMPROVED IN 2025**
- SHORTER STYLES available on request **NEW**



For complete seeding kits, see pages 4 - 11

For spare parts and accessories such as trashguards and liquid kits, see pages 12 - 13

HARDFACING IMPROVEMENT

We have increased the area and thickness of hardface weld on the sides of our NT19 Adjusta-Points for the 2024 season and onwards. This should help retain knife material behind the tungsten. Additionally, we are doing some R&D on alternative options during the 2026 season.

This brochure is only a selection of our most common & latest products. For our full range of products, visit our website to view our Parts Book or Products sections

www.agmaster.com.au



For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT19 ADJUSTA-POINT OPTIONS

All NT19 Adjusta-Points are 14mm wide, and fit into the same point holder. There are some other variations depending on the profile option:

LO-THRO PROFILE

- 325mm overall length
- Vertical section toward top of knife reduces soil throw by disrupting soil flow up point



PT5640
Lo-Thro
Standard
\$115 +GST



PT5650
Lo-Thro
Liquid
\$145 +GST

STRAIGHT PROFILE

- 315mm overall length
- More traditional point angle
- Extra material in knife can provide additional strength
- Recommended for granite



PT5660
Straight
Standard
\$115 +GST



PT5670
Straight
Liquid
\$145 +GST



PICTURED:

- NT19 Rigid Boot Seeding Kit w
- PT5650 point, BT2550 seed boot & additional liquid kit (p12)

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

Limited quantities of shorter points for less cultivation are now available on request. Discuss with Agmaster or your Dealer for further information.

NEW

NT19 RIGID BOOT SEEDING KIT

Progression of our NT11 Series

- Choose from Adjusta-Point range (p4-5)
- Height-adjustable seeding boot
- Multiple seed boot options to suit both single-shoot & dual-shoot programs (p14)
- Choice of 40mm or 50mm closer on standard single-shoot boot (*pictured*)
- Improved bolt accessibility on bracket at back of tyne
- Weld-on closer plates available for self-repair
- Wetter with seed provision on cast single-shoot seed boots (BT2540/BT2550)

PRICE:

Standard Kit as pictured **\$300** +GST

See page 14 for other boot option pictures and kit price difference.



PICTURED:


- Standard Lo-Thro Adjusta-Point PT5640
- 50mm Single-Shoot Boot BT2550
- Trashguard

SEEDING BOOT OPTIONS


- BT2540 Single-Shoot w 40mm Closer
- BT2550 Single-Shoot w 50mm Closer
(as pictured)
- BT2390 Dual Shoot w 65mm closer (P14)

NT19 RIGID BOOT SEEDING PROFILES

SINGLE SHOOT



DUAL SHOOT



For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT19 FLEXIBOOT SEEDING KIT

Progression of our NT11 Series

- Choose from Adjusta-Point range (p4-5)
- Height-adjustable seeding boot
- The seeding boot is a stiff but flexible hose with 40mm closer plate which self-cleans in heavy soils
- Suits both single-shoot & dual-shoot programs
- Allows banding of fertiliser in knife point slot when dual shooting
- 50mm closer available for wider spread in light soils. 40mm is the general recommendation.
- Weld-on closer plates available for self repair

PRICE:

Standard Kit as pictured **\$385** +GST



PICTURED:


- Standard Lo-Thro Adjusta-Point PT5640
- 40mm Flexi-Boot FB2840
- Trashguard

SEEDING BOOT OPTIONS


- FB2840 w 40mm closer (as pictured & recommended)
- FB2850 w 50mm closer on request

NT19 FLEXIBOOT SEEDING PROFILES

SINGLE SHOOT



DUAL SHOOT



For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT19 MULTIBOOT SEEDING KIT - SINGLE ROW

- Choose from Adjusta-Point range (p4-5)
- 45mm replaceable closer
- Modular system. Easily interchange between paired-row and single-row
- Suits both single-shoot & dual-shoot programs; optional dry fertiliser boot available if required
- Built-in capability for directing liquid behind the point
- Provision for wetter with the seed

For more detailed information about the Multi-Boot system see pages 10 - 11

PRICE:

Kit as shown **\$300 +GST**

Wetter with seed tube not included in kit, order separately

More kit options and prices can be found on page 10

SEEDING BOOT OPTIONS (P10)

- CL5240 45mm Single Closer (as pictured)

Can be interchanged with Paired-Row Seeker Wings on P9




PICTURED:

Multi-Boot Single Row


- Standard Lo-Thro Adjusta-Point PT5640
- 45mm Single-Row Closer CL5240
- Trashguard
- Wetter w Seed tube (ordered separately)

NT19 MULTIBOOT SINGLE ROW SEEDING PROFILES


SINGLE SHOOT



DUAL SHOOT *Inline*



DUAL SHOOT Offset



For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT19 MULTIBOOT SEEDING KIT - PAIRED ROW

- Choose from Adjusta-Point range (p4-5)
- Three Seeker Wing widths to choose from
- Modular system. Easily interchange between paired-row and single-row
- Suits both single-shoot & dual-shoot programs; optional dry fertiliser boot available if required
- Built-in capability for directing liquid behind the point
- Provision for wetter with the seed

For more detailed information about the Multi-Boot system see pages 10 - 11

PRICE:

Kit as pictured **\$420** +GST

Wetter with seed tubes not included in kit, order separately

More kit options and prices can be found on page 10

SEEDING BOOT OPTIONS (P8)

- SW5270 75mm Seeker Wing
- SV5280 85mm Seeker Wing
- SV5290 95mm Seeker Wing (as pictured)

Can be interchanged with Single-Row Closer P8

IMPROVED
PIN IN
2025




PICTURED:

Multi-Boot Paired Row


- Standard Lo-Thro Adjusta Point PT5640
- 95mm Paired Row Seeker Wing SW5290
- Trashguard
- Wetter w Seed tubes (ordered separately)

NT19 MULTIBOOT SEEKER SEEDING PROFILES

SINGLE SHOOT



DUAL SHOOT



For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT19 MULTI BOOT C-SHANK

The Multi-Boot seeding system is a modular kit for double-bolt c-shank tynes which provides the flexibility to choose between multiple paired-row and single-row closing tool options. The key features of this system are:

- Multiple closing tool options with flexibility to easily alternate between paired and single-row depending on conditions and crop type. See below or previous page for details
- Compatible with both NT19 Adjusta-Point and NT11 Point & Holder systems
- Optional dry fertiliser boot is available for dual shoot systems
- There is provision for liquid down the knife point slot and/or wetter with the seed
- A secure bolting arrangement on the closing tool and dry fertiliser boot
- Bracket options to suit 50mm Flat C-Shank tynes and 30mm Edge-On tynes

BUILD YOUR KIT:

1. Select Kit Base
2. Select Point
3. Select Closing Tool
4. Add optional extras

Kit price includes all parts & fasteners required for assembly.
Alternatively, see page 11 for common configurations and their prices

1. Kit Base
\$130 +GST Standard
\$168 +GST Liquid



4. Optional Extras

LF5520
Stainless Tube for Seed Wetter
One required per seed row
\$6 +GST

FB5310
Dual-Shoot Dry Fertiliser Boot
\$55 +GST

2. NT19 Adjusta-Point Options

Standard 14mm



PT5640
Lo-Thro
\$115 +GST



PT5660
Straight
\$115 +GST

Liquid 14mm



PT5650
Lo-Thro
\$145 +GST



PT5670
Straight
\$145 +GST

3. Closing Tool Options

Paired Row



SW5290
95mm Seeker Wing (rows 75mm apart)
\$175 +GST



SW5280
85mm Seeker Wing (rows 65mm apart)
\$170 +GST



SW5270
75mm Seeker Wing (rows 55mm apart)
\$165 +GST

Single Row



CL5240
45mm Closer
\$55 +GST

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT19 MULTI BOOT ASSEMBLIES

The seeding assemblies below include the parts pictured as well as all bolts and fasteners required for assembly. **Please note that X's in part #'s need to be filled with a figure depending on machine type, tyne type & seeker width (if applicable). For assistance please contact Agmaster, your local dealer or use the Seeding Kit Builder www.agmaster.com.au**

Adjusta-Point & Multi-Boot for C-Shank Tynes



PMB64611x2x

Standard Adjusta Point with Paired Row Seeker Wing

\$410-\$420 +GST
Seeker width dependent



PMB65611x2x

Liquid Adjusta Point with Paired Row Seeker Wing

\$448-\$458 +GST
Seeker width dependent



PMB64611x24

Standard Adjusta Point with Single Row 45mm Closer

\$300 +GST



PMB65611x24

Liquid Adjusta Point with Single Row 45mm Closer

\$338 +GST



BMB1x29

MultiBoot only with 95mm Paired Row Seeker Wing

\$250 +GST



BMB1x27

MultiBoot only with 75mm Paired Row Seeker Wing

\$240 +GST



BMB1x24

MultiBoot only with Single Row 45mm Closer

\$130 +GST

DUAL SHOOT OPTION



FB5310

Dry Fertiliser Boot
\$55 +GST To add to any paired row kit, add 31 to end of part # and increase kit price. Contact Agmaster re single-row dual shoot

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

NT19 & NT11 ACCESSORIES

Trashguards & Sweep Adaptors

TRASHGUARDS

These saddle the point holder and secure to the holder or tyne to provide better trashflow in heavy residue. There are two styles for NT11 and NT19 Adjusta-Point which suit both flat and edge-on tyres. **Below prices include required fasteners**



NT19 Trashguard
for Adjusta-Point
\$30 +GST



NT11
Trashguard
\$41 +GST

SWEET ADAPTORS

These secure into the holder in place of the point for quick change from No-Till cultivation to conventional cultivation.


Replicates bottom of tyne to accommodate bolt-on wedge or bolt-on wide point. 3 different hole configurations are available.

Available for NT11 holders and NT19 to order on request. Contact Agmaster to discuss



\$32 +GST

Liquid Kits



These kits piggy back Agmaster NT19 & NT11 rigid boot kits. They will direct liquid fertiliser from an existing liquid distribution system to the base of the tyres and into the back of a liquid fertiliser point (see pages 5, 6 & 13). The liquid kit includes a shaped stainless tube that acts as a protective casing for 3 - 6mm OD flexible fertiliser delivery hose.

Kit does not include liquid point or flexible tube. A longer bolt may also be required to bolt clamp plate to tyne. Kits are available for two liquid hose sizes.

Single Liquid Kit: **\$39 +GST**

Double Liquid Kit: **\$60 +GST**

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

REPLACEMENT POINTS

NT19 Series Adjusta-Points & Holder



PT5640
Lo-Thro
Standard 14mm
\$115 +GST



PT5650
Lo-Thro
Liquid 14mm
\$145 +GST



PT5660
Straight
Standard 14mm
\$115 +GST



PT5670
Straight
Liquid 14mm
\$145 +GST



HL5610
Adjusta-Point
Holder 2021
\$25 +GST

Limited quantities of shorter straight points for less cultivation are now available on request.

Refer to our parts book or website for pins & fasteners

NT11 Series Slip-On Point Options



PT1120
12mm Straight
Standard
\$80 +GST



PT1150
12mm Straight
Liquid
\$110 +GST



PT1140
14mm Lo-Thro
Standard
\$95 +GST



PT1170
14mm Lo-Thro
Liquid
\$125 +GST



PT1160
16mm Straight
Standard
\$95 +GST



PT1190
16mm Straight
Liquid
\$125 +GST



PT1130
16mm Winged
\$135 +GST

Refer to our parts book or website for Point holders & Pins

For less common replacement points, boots and other parts, please visit our website www.agmaster.com.au

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

OTHER NO-TILL SEEDING KITS AND PARTS

NT08/NT11/NT19 Series Rigid Boots Options (excludes Flexiboots)



BT2540/BT2550
Single Shoot Boot with 40mm or 50mm Closer Plate
\$70 +GST



BT2370
Single Shoot Split Boot with 65mm Closer Plate
\$140 +GST

For this boot option in a kit add \$70 +GST to the standard single shoot NT19 or NT08 kit price

Standard NT19 Kit
Standard Adjusta-Point with choice of BT2540 or BT2550 boots

\$300 +GST
Picture and details P6

Standard NT08 Kit
12mm bolt-on point with choice of BT2540 or BT2550 boots

\$210 +GST
Picture and details below



BT2390
Double Shoot Split Boot with 65mm Closer Plate
\$185 +GST

For this boot option in a kit add \$115 +GST to the standard single shoot NT19 or NT08 kit price

All the above seeding boots have weld-on closer plates available for self-repair

NT08 Series Bolt-On Kits

For single bolt cultivator and scarifier tynes in the 90 - 150kg breakout range. Standard single system included a 12mm point and depth adjustable 40mm boot assembly. See above for other boot options and kit price difference.

NT08 Seeding Kits suit the following tynes:
Shearer 580 & 620, Forward/Chamberlain 270, 700 & 800 series, Alfarm, John Deere/International Scari & Shearer Scari

PRICES:

Standard Single Shoot Kit as shown **\$210+GST**
Replacement Points **\$85 +GST**



For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

NT22 IN-LINE DUAL-SHOOT SYSTEM

NEW



This system is a progression of our original In-Line series and has been tested in WA during the 2025 seeding season. It currently will fit the below machines:

- **Morris Quantum**
- **Morris Contour 2 & 3**
- **Horsch Sprinter NT**

Can be adapted to other machine makes on request. Contact Agmaster to discuss.

PRICES:

Complete Kits (as pictured)

Morris Quantum, C2 & C3

\$530 +GST

Horsch Sprinter NT

\$560 +GST

Replacement Parts

PT5080 12mm Point

\$120 +GST

LIMITED QUANTITIES FOR 2026!

- 12mm height-adjustable point
- Single-row seeding boot with 40mm replaceable closing plate (*50mm available on request*)
- Dry fertiliser boot behind point for banding in knife point slot
- Vented fertiliser tube to help prevent blockages
- Independent height-adjustment on both the fertiliser and seed boots
- Provision for liquid fertiliser below seed and/or wetter with seed
- M12 cuphead bolts for point and boot fastening



SCAN HERE
for more information
and working videos



NT22 Kit fitted to Horsch Sprinter in WA

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

NT20 ADJUSTA-POINT

Our NT20 Adjusta-Point is the height-adjustable point used in our NT20 Multi-Boot Module seeding system. Currently, this system is available to suit the following machines:

• Morris Quantum	P18-19	• Horsch Sprinter NT NEW	P22-23
• Morris Contour 2 & 3	P18-19	• Bourgault Paralink	P24-25
• Morris Contour 1 NEW	P20	•	

Key features of the NT20 Adjusta-Point are:

- HEIGHT ADJUSTABLE with three different settings to allow for lowering of point as it wears or for more below the seed cultivation if desired.
- LIQUID point options available
- COMPATIBLE with our Multi-Boot Module seeding boot system which has Paired-Row Seeker Boots or Single-Row Closer options to choose from
- LO-THRO or STRAIGHT knife point profiles
- WIDTH OPTIONS 12mm or 14mm points that both fit in the same adaptor
- EASY ACCESS pin & R-clip which has no load when working **IMPROVED IN 2025**
- HARDFACING improvement for 2024 onwards with increased area and thickness

For complete seeding kits, see pages 18-25

LO-THRO PROFILE

- 14mm knife
- 255mm overall length
- Vertical section toward top of knife reduces soil throw by disrupting soil flow up point



PT6640
Lo-Thro
Standard



PT6650
Lo-Thro
Liquid

STRAIGHT PROFILE

- 12mm knife
- 265mm overall length
- More traditional point angle
- Extra material in knife can provide additional strength



PT6660
Straight
Standard



PT6670
Straight
Liquid




For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply


NT20 SEEDING PROFILES FOR KITS SEE PAGES 18-25

NT20 MULTIBOOT SEEKER SEEDING PROFILES

SINGLE SHOOT



DUAL SHOOT




PAIRED-ROW SEEKER OPTIONS

- SW6270 75mm Seeker Wing
- SW6280 85mm Seeker Wing
- SW6290 95mm Seeker Wing


Can be interchanged with Single-Row Closer (below)

NT20 MULTIBOOT SINGLE ROW SEEDING PROFILES


SINGLE SHOOT



DUAL SHOOT *Inline*



DUAL SHOOT *Offset*



SINGLE-ROW CLOSER OPTION

- CL6240 45mm Single Closer

Can be interchanged with Paired-Row Seekers (above)

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT20M MULTIBOOT FOR MORRIS

Please discuss suitability of paired-row systems for your soil type with Agmaster or your dealer

This system is a modular seeding kit to suit various Morris parallelogram modules which provides the flexibility to choose or alternate between multiple paired-row and single-row seed boot options. The key features of this system are:

- Multiple closing tool options with flexibility to easily alternate between paired and single-row depending on conditions and application. See below for details.
- Secure bolting arrangement on the closing tool and dry fertiliser boot.
- Height-adjustable point is secured with an easy-access pin and there is no load on the pin when working.
- Optional dry fertiliser boot is available for dual shoot systems
- Liquid point option available and all boot options come liquid ready.

BUILD YOUR KIT:

1. Select Kit Base
2. Select Point
3. Select Closing Tool
4. Add optional extras

Kit price includes all parts & fasteners required for assembly.
Alternatively, see pages 19-20 for common configurations and their prices

IMPROVED PIN FOR 2025


1. Kit Base
\$165 +GST Standard
\$171 +GST Liquid

2. Adjusta-Point Options
Standard Points

	
PT6640 14mm Lo-Thro \$110 +GST	PT6660 12mm Straight \$110 +GST

Liquid Points

	
PT6650 14mm Lo-Thro \$140 +GST	PT6670 12mm Straight \$140 +GST



3. Closing Tool Options
Paired Row

	SW6290 95mm Seeker Wing (rows 75mm apart) \$175 +GST
	SW6280 85mm Seeker Wing (rows 65mm apart) \$170 +GST
	SW6270 75mm Seeker Wing (rows 55mm apart) \$165 +GST

Single Row

	CL6240 45mm Closer \$55 +GST
---	---

4. Optional Extras

	FB5310 Optional Dry Fertiliser Boot \$55 +GST
	LF5520 Stainless Tube for Seed Wetter One required per seed row \$6 +GST

WETTER WITH SEED NOW AVAILABLE ON BOTH PAIRED-ROW & SINGLE-ROW SYSTEMS

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT20M MultiBoot Assemblies to suit Morris Quantum C2 & C3



PMM6418202X31

14mm Adjusta Point
with Paired Row Seeker
Wing and Dual Shoot
Dry Fertiliser Boot

\$495-\$505 +GST

Depending on seeker width



PMM6518202X31

14mm Liquid Adjusta
Point with Paired Row
Seeker Wing, Dual
Shoot Dry
Fertiliser Boot and
Stainless Liquid Casing

\$531-\$541 +GST

Depending on seeker width

Please discuss suitability of paired-row systems for your soil type with Agmaster or your dealer



PMM6418202X

14mm Adjusta Point
with 75mm Paired Row
Seeker Wing

\$440-\$450 +GST

Depending on seeker width



PMM6518202X

14mm Liquid Adjusta
Point with Paired Row
Seeker Wing and
Stainless Liquid Casing

\$476-\$486 +GST

Depending on seeker width



PMM64182024

14mm Standard Point
with 45mm Single Row
Closer

\$330 +GST



PMM65182024

14mm Liquid Point
with 45mm Single Row
Closer and Stainless
Liquid Casing

\$366 +GST

**SHORT LEG
OPTION
AVAILABLE ON
REQUEST FOR ALL
CONFIGURATIONS**

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT20M MultiBoot Assemblies to suit Morris Contour 1




PMM6422202X31

14mm Adjusta Point
with Paired Row Seeker
Wing and Dual Shoot
Dry Fertiliser Boot

\$495-\$505 +GST

Depending on seeker width



PMM6522202X31

14mm Liquid Adjusta
Point with Paired Row
Seeker Wing, Dual
Shoot Dry
Fertiliser Boot and
Stainless Liquid Casing

\$531-\$541 +GST

Depending on seeker width



PMM6422202X

14mm Adjusta Point
with 75mm Paired Row
Seeker Wing

\$440-\$450 +GST

Depending on seeker width



PMM6522202X

14mm Liquid Adjusta
Point with Paired Row
Seeker Wing and
Stainless Liquid Casing

\$476-\$486 +GST

Depending on seeker width



PMM64222024

14mm Standard Point
with 45mm Single Row
Closer

\$330 +GST




PMM65222024

14mm Liquid Point
with 45mm Single Row
Closer and Stainless
Liquid Casing

\$366 +GST

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

Oats at sunrise - Lake Grace, Western Australia
Sown with Agmaster NT19 Paired-Row "Seeker" Boots



For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

NT20H MULTIBOOT FOR HORSCH SPRINTER NT

Our NT20 Multi-Boot system is now available to suit the Horsch Sprinter NT (High Model). This is a modular seeding kit which provides the flexibility to choose or alternate between multiple paired-row and single-row seed boot options. The key features of this system are:

- Multiple closing tool options with flexibility to easily alternate between paired and single-row depending on conditions and application. See below for details.
- Secure bolting arrangement on the closing tool and dry fertiliser boot.
- Height-adjustable point is secured with an easy-access pin and there is no load on the pin when working.
- Optional dry fertiliser boot is available for dual shoot systems
- Liquid point option available and all boot options come liquid ready.

BUILD YOUR KIT:

1. Select Kit Base
2. Select Point
3. Select Closing Tool
4. Add optional extras

Kit price includes all parts & fasteners required for assembly.
Alternatively, see page 23 for common configurations and their prices

1. Kit Base

\$195 +GST Standard
\$201 +GST Liquid

2. Adjusta-Point Options

Standard Points



PT6640
14mm
Lo-Thro
\$110 +GST

PT6660
12mm
Straight
\$110 +GST

Liquid Points



PT6650
14mm
Lo-Thro
\$140 +GST

PT6670
12mm
Straight
\$140 +GST

3. Closing Tool Options

Paired Row



SW6290
95mm Seeker Wing
(rows 75mm apart)
\$175 +GST



SW6280
85mm Seeker Wing
(rows 65mm apart)
\$170 +GST



SW6270
75mm Seeker Wing
(rows 55mm apart)
\$165 +GST

Single Row



CL6240
45mm Closer
\$55 +GST

4. Optional Extras

FB5310
Optional Dry Fertiliser Boot
\$55 +GST

LF5520
Stainless Tube for Seed Wetter
One required per seed row
\$6 +GST

WETTER WITH SEED NOW AVAILABLE ON BOTH PAIRED-ROW & SINGLE-ROW SYSTEMS

Emu Tracker Wheel. Info on P31

IMPROVED PIN FOR 2025

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT20H MultiBoot Assemblies to suit Horsch Sprinter NT

PMM6421202X31

14mm Adjusta Point
with Paired Row Seeker
Wing and Dual Shoot
Dry Fertiliser Boot



\$525-\$535 +GST

Depending on seeker width

PMM6521202X31

14mm Liquid Adjusta
Point with Paired Row
Seeker Wing, Dual
Shoot Dry
Fertiliser Boot and
Stainless Liquid Casing



\$561-\$571 +GST

Depending on seeker width

PMM6421202X

14mm Adjusta Point
with 75mm Paired Row
Seeker Wing



\$470-\$480 +GST

Depending on seeker width



PMM6521202X

14mm Liquid Adjusta
Point with Paired Row
Seeker Wing and
Stainless Liquid Casing

\$506-\$516 +GST

Depending on seeker width

PMM64212024

14mm Standard Point
with 45mm Single Row
Closer



\$360 +GST



PMM65212024

14mm Liquid Point
with 45mm Single Row
Closer and Stainless
Liquid Casing

\$396 +GST

NT20B MULTIBOOT FOR BOURGAULT PARALINK

This system is a modular seeding kit to suit the Bourgault Paralink module which provides the flexibility to choose or alternate between multiple paired-row and single-row seed boot options. The key features of this system are:

- Multiple closing tool options with flexibility to easily alternate between paired and single-row depending on conditions and application. See below for details.
- Secure bolting arrangement on the closing tool and dry fertiliser boot.
- Height-adjustable point is secured with an easy-access pin and there is no load on the pin when working.
- Optional dry fertiliser boot is available for dual shoot systems
- Liquid point option available and all boot options come liquid ready.

BUILD YOUR KIT:

1. Select Kit Base
2. Select Point
3. Select Closing Tool
4. Add optional extras

Kit price includes all parts & fasteners required for assembly.
Alternatively, see page 25 for common configurations and their prices

IMPROVED PIN FOR 2025


1. Kit Base
\$195 +GST Standard
\$201 +GST Liquid

2. Adjusta-Point Options
Standard Points

	
PT6640 14mm Lo-Thro \$110 +GST	PT6660 12mm Straight \$110 +GST

Liquid Points

	
PT6650 14mm Lo-Thro \$140 +GST	PT6670 12mm Straight \$140 +GST



3. Closing Tool Options
Paired Row

		SW6290 95mm Seeker Wing (rows 75mm apart) \$175 +GST
		SW6280 85mm Seeker Wing (rows 65mm apart) \$170 +GST
		SW6270 75mm Seeker Wing (rows 55mm apart) \$165 +GST

Single Row

		CL6240 45mm Closer \$55 +GST
---	---	---

4. Optional Extras

	FB5310 Optional Dry Fertiliser Boot \$55 +GST
	LF5520 Stainless Tube for Seed Wetter One required per seed row \$9 +GST

WETTER WITH SEED NOW AVAILABLE ON BOTH PAIRED-ROW & SINGLE-ROW SYSTEMS

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

NT20B MultiBoot Assemblies to suit Bourgault Paralink



PMM6419202X31

14mm Adjusta Point
with Paired Row Seeker
Wing and Dual Shoot
Dry Fertiliser Boot

\$525-\$535 +GST

Depending on seeker width




PMM6519202X31

14mm Liquid
Adjusta Point with
Paired Row Seeker
Wing, Dual Shoot Dry
Fertiliser Boot and
Stainless Liquid Casing

\$561-\$571 +GST

Depending on seeker width




PMM6419202X

14mm Adjusta Point
with Paired Row
Seeker Wing

\$470-\$480 +GST

Depending on seeker width



PMM6519202X

14mm Liquid
Adjusta Point with
Paired Row Seeker
Wing and Stainless
Liquid Casing

\$506-\$516 +GST

Depending on seeker width



PMM64192024

14mm Standard Point
with 45mm Single Row
Closer

\$360 +GST



PMM65192024

14mm Liquid Point
with 45mm Single Row
Closer and Stainless
Liquid Casing

\$396 +GST

NT21B to suit Bourgault 4420DKD

NEW!

KNIFE POINTS

Our NT21B point for the new Bourgault 4420DKD were run in WA in the 2025 season

- 16mm HEIGHT-ADJUSTABLE point with three settings to allow for lowering of point as it wears or more below-seed cultivation
- Standard OR Liquid options
- LO-THRO profile (pictured) is standard but non-lo-thro are available to order

This point is currently fully fabricated, they may be cast in the near future based on demand which will make them more cost-effective



PRICES:

PT6740 Lo-Thro Standard (pictured)	\$125 +GST
PT6750 Lo-Thro Liquid	\$145 +GST
PT6760 Straight Standard	\$125 +GST
PT6770 Straight Liquid	\$145 +GST



SEED BOOTS

Boot and bracket kits are available on request

Standard PT6740 16mm point fitted

- Height-adjustable seeding boot with 50mm closer plate
Other closer plate sizes available on request
- Provision for wetter with the seed

These parts are currently fully fabricated, they may be cast in the near future based on demand which will make them more cost-effective

PRICES:

BRB5155 Boot & Bracket Kit (pictured)	\$205 +GST
BT6550 Single Boot w 50mm Closer	\$130 +GST

NT21B Borgault PLDS Replacement Points

The following are non-genuine replacement 12mm parts available to suit the Bourgault PLDS seed and fertiliser shanks.

Pre-order recommended



PT6710
Fertiliser Knife for PLDS
\$155 +GST



PT6720
Seed Knife for PLDS
\$105 +GST

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

NT21D Adjusta-Point & Holder to suit DBS



The NT21D Adjusta-Point is our first Point & Holder system to suit DBS/Groundhog shanks. The key features are:

- HEIGHT ADJUSTABLE with five depth settings (120 - 200mm) to allow for lowering of point as it wears or for deeper cultivation below the seed
- Unique POINT HOLDER design with built-in TRASHGUARD
- EASY ACCESS M12 PIN & R-clip **IMPROVED IN 2025**
- Very positive feedback on WEAR compared to other makes
- EASY TO REMOVE/ADJUST point that can be tapped forward out of holder

PRICES:

Point & Holder Kit (as pictured)

PTH7671 \$145 +GST

Replacement Parts

PT7760 Point \$115 +GST

HL7710 Holder \$30 +GST

NT21E Point to suit Equalizer

NEW!

The NT21E Point is our first knife point to suit Equalizer tynes. The key features are:

- 16mm long-life point featuring 60mm of 10mm thick tungsten at the tip
- Hard-faced sides to maintain knife thickness
- Semi-open sleeve around bolts to assist with point removal
- Very positive feedback on wear compared to other makes (see below)

This point is currently fully fabricated, they may be cast in the near future based on demand which will make them more cost-effective



PRICES:

Point (as pictured)

PT6810 \$150 +GST



Wear comparison on same Ha (Agmaster PT6810 behind)

For all Seeding Kit part numbers and their prices, use our Seeding Kit Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

PRESSWHEELS



70mm "V" Presswheel Module.
See page 29 for all tyre profile options

- Individually mounted for independent pressure
- Self tracking
- Semi pneumatic tyres for soil shedding
- Down pressure adjustable
- Can be lifted and locked when not required
- Light weight but robust - module weight 11kg

See page 32 for Presswheel mounting options

Agmaster Presswheels offer flexibility to suit all seeding conditions. The presswheels mount to a false bar behind the last rank of seeding tynes.

Presswheel module as shown:

\$480 +GST

with 50mm Flat, 70mm V or 95mm V tyre profiles

\$505 +GST

100mm W tyre profiles

\$700 +GST

Emu Tracker tyre (See P26 for more info)

Optional inner spring for extra pressure

\$15 +GST

Optional offset wheel spacer for clay shedding

\$20 +GST



PRESSWHEEL TYRE OPTIONS

Tyre Profile Options



50mm Flat Tyre

Crumbles sides of narrow slot

40-50mm Closers

PWF50 \$480 +GST



70mm 'V' Tyre

General purpose in mixed soil types

40-85mm Closers or Seekers

PWV70 \$480 +GST



95mm 'V' Tyre

Wide press on light sand soils

50-95mm Closers or Seekers

PWV95 \$480 +GST



100mm 'W' Tyre

For use with paired-row Seeker Boots

95mm Seekers on flat fields

PWW100 \$505 +GST



130 mm 'Emu Tracker' Tyre

Most effective in moist soils where furrow smearing/crusting is a problem.

INFO
P30

50-95mm Closers or Seekers

PWE130 \$700 +GST


Suitable tyre profile will depend on seeding boot style, soil conditions and desired finish.

Seek local experience or contact an Agmaster Sales Consultant for more information. All prices shown are for complete module (*pictured on page 28&30*) with selected tyre profile.

For Presswheel Module & Fixed Extension calculator, use our Presswheel Builder at www.agmaster.com.au

All prices exclude any freight costs that may apply

EMU TRACKER PRESSWHEELS



By increasing demand, the Agmaster Emu Tracker wheel is now available as an individually mounted Presswheel Module. These have been run in WA & NSW over the past few seasons with positive customer feedback including comments of:

- Reduction in chemical damage on edge of furrow
- Fewer weed escapes at edge of rows
- Less smearing in wet conditions
- Improved seed coverage
- Reduced mud build up on tyre in sticky soils

PRICES:

Presswheel module as pictured with 130mm wide Emu Tracker tyre

PWE130 **\$700 +GST**

As with our usual presswheel range, these units mount to a false bar behind the last rank of seeding tynes. Additional features include:

- Individually mounted for independent pressure
- Greasable hubs
- Self tracking
- Down-pressure adjustable
- Extra inner-spring option for additional pressure
- Can be lifted and locked when not required
- Robust aluminium rims - module weight 18kg

See page 32 for Presswheel mounting options



EMU TRACKER WHEELS

Agmaster Emu Tracker wheels have a unique design which addresses the issue of presswheel furrow smearing on precision seeding modules such as the following:

(other makes may also be adaptable):

- Morris Quantum
- Bourgault Paralink
- Morris Contour1,2&3
- Horsch Sprinter

The Emu Tracker replaces the existing wheel on the precision seeding module. The flexible feet flick some of the loose soil back into the seeding row while giving some pressing effect. They are most effective in moist soil conditions.

PRICE: Wheel as pictured **\$350 +GST**



Original Module Wheel Finish



Emu Tracker Wheel Finish



PRESSWHEEL MOUNTING OPTIONS



FIXED EXTENSION ARM

Used when presswheels are permanent with provision for an adaptor plate to be welded to end of main arm to add harrows in combination. If no harrows are used, minimum of 2 arms are required per section. A 3rd arm is required for any section with more than 18x Standard Presswheels or 12x Emu Tracker Presswheels. A typical single fold machine will require 6 or 7 arms. Mount bar secures to end of these arms. Weight 31kg


\$650 +GST



FIXED EXTENSION ARM WITH DOUBLE DROPPER

Used in conjunction with above arms of short sections of folding machines i.e. 7ft or less with up to 10x Standard Presswheels or 7x Emu Tracker Presswheels. Typically used on short outer wings of double fold machines. Mount bar secures to end of arm. Weight 38kg

\$830 +GST



Presswheel & framework layout . All dimensions in mm

For Presswheel Module & Fixed Extension calculator, use our Presswheel Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

Presswheels working - York, Western Australia



Visit our website to use our Presswheel Kit Builder or view our full range of spare parts

www.agmaster.com.au



For Presswheel Module & Fixed Extension calculator, use our Presswheel Builder at www.agmaster.com.au
All prices exclude any freight costs that may apply

NO-TILL HARROWS



Agmaster No-Till Harrows have been developed to compliment no-till seeding systems. Their non-aggressive rotary action is designed to brush loose soil from the interrow back into the seed row. They have excellent trash flow capabilities and can be used independently or in combination with presswheels.



- Easy to set up and use
- Working angle and pressure adjustable
- Lifts and folds with machine
- Excellent stubble handling

STAR HARROWS are suitable for covering behind narrow points to provide an even cover. Long life tips are replaceable. 4ft and 5ft gangs will provide the best finish. 6ft gangs are available if other sizes not suitable.

PRICES:

4ft gang with telecarrier arm **\$2825 +GST**
 5ft gang with telecarrier arm **\$3025 +GST**
 6ft gang with telecarrier arm **\$3225 +GST**
 Replacement Single Star Tips **\$5.50 EA +GST**
 Replacement Star Tips x100 **\$500 +GST**



COIL HARROWS are suitable for covering behind a greater variety of points. Slightly more aggressive, they are more effective in sticky soil conditions.

PRICES:


4ft gang with telecarrier arm **\$2725 +GST**
 5ft gang with telecarrier arm **\$2925 +GST**




Presswheels and harrows combination



Double fold machine with star harrows



Harrow & telescopic arm layout. All dimensions in mm



Presswheel & Harrow Combination layout



Paired Row Seeker Boot establishment



Western Australia Head Office:

10 Fargo Way
WELSHPOOL
Western Australia 6106

Sales Team

Renee Parker - General Manager

Phone: 08 9358 1555

Email: sales@agmaster.com.au

www.agmaster.com.au

Western Australia & South Australia

Renee Parker
08 9358 1555
0473 485 629
reneee@agmaster.com.au

Victoria & Tasmania

Dan Bolwell
1800 66 8455
0417 565 091
dan@agmaster.com.au

New South Wales & Queensland

Rowan Cox
1800 66 8455
0488 995 566
rowan@agmaster.com.au

Your local dealer is:

Disclaimer: Agmaster strongly recommends that you consult your agronomist to determine the suitability of Agmaster products in your seeding program. Agmaster gives absolutely no guarantee as to the suitability or performance of its products. Furthermore, Agmaster will not accept liability for any loss or damage caused by, or as a consequence of, the use of its products. Agmaster's products and prices are subject to change without notice. E & OE.